



Central Wyoming College

Request for Quotes

**Wyoming PBS (WYPBS)
30 Watt Digital Television UHF Translator System – Sunlight Basin**

Due:

Tuesday, August 10, 2010
3:00 p.m.

Deliver to:

Central Wyoming College
Attn: Jan Jensen, Grants Administrative Assistant
2660 Peck Avenue – Room WPTV 15
Riverton, WY 82501

Or

Email to: jjensen@cw.edu

TABLE OF CONTENTS

Article	Contents	Page #
I	General Conditions and Requirements	3
II	Submission of Quotes	6
	Quote Submittal Form	7
	Appendix A	8

**Request For Quotes
Central Wyoming College/Wyoming PBS
30 Watt Digital Television UHF Translator System**

ARTICLE I – General Conditions and Requirements

NOTICE IS HEREBY GIVEN that Central Wyoming College/Wyoming PBS is requesting quotes for 30 watt digital television UHF Translator Systems.

The Grants Administrative Assistant will receive quotes at Wyoming PBS, 2660 Peck Avenue – Room WPTV 15, Riverton, Wyoming 82501, until 3:00 p.m. Mountain Time, Tuesday, August 10, 2010. Late submittals will not be accepted. Quotes shall be clearly marked “Sunlight Basin Digital translator Quote” Quotes will be opened shortly after 3:00 p.m. at Wyoming PBS. A contract may not be awarded until CWC officials have reviewed the quotes and authorized negotiation of a contract. Questions regarding the specifications should be directed to Bob Connelly or Bob Spain at 307-856-6944.

1. SUBMISSION OF QUOTES: It is the responsibility of the vendor to carefully examine the Request for Quotes document and be familiar with all of the requirements, stipulations, provisions and conditions of the proposed project. All changes, additions, or clarifications to the RFQ documents will be done with a numbered addendum. Quotes should address each item specified in the Submittal Instructions. No quote will be considered in which any of the conditions or provisions have been modified. No oral or telephone interpretations of the quote documents shall be binding upon the College. Quotes received after the time and date specified will not be considered and will be returned unopened to the firm.

2. VENDOR QUALIFICATION: Vendors shall be the manufacturer of, or authorized representatives of the manufacturers of the equipment specified. The vendor shall be fully able to validate and execute warranty directly or on behalf of the manufacturer.

3. CONTRACTOR PREFERENCE: Vendors are advised that the resident contractor preference and State of Wyoming materials preference statutes contained in Wyoming Statutes Sections 16-6-102 and 16-6-106 and related statutes may apply to the submitted Quotes to the extent required by law. Because of the nature of this RFQ, the extent and the manner to which statutes apply will be considered and evaluated with respect to each responsible quote submitted. Those vendors claiming Wyoming residency should include a copy of their Wyoming Certificate of Residency.

4. WYOMING STATUTES: The Owner is a community college district. As such, Bidders are advised that the resident contractor preference, nonresident contractor subcontracts and the State of Wyoming materials preference statutes contained in Wyoming Statutes Sections 16-6-102, 16-6-103, 16-6-106 and related statutes may apply to the submitted proposals to the extent required by law. It is the sole responsibility of the Contractor to become acquainted with and to comply with the laws regarding these preferences.

Pursuant to W.S. 16-6-102 (a), “... the contract shall be let to the responsible certified resident making the lowest Proposal if the certified resident’s Proposal is not more than five (5%) higher than that of the lowest nonresident bidder.” (Those bidders claiming Wyoming residency should include a copy of their current Wyoming Certificate of Residency).

Pursuant to W.S. 16-6-103, “A successful resident bidder shall not subcontract more than twenty percent (20%) of the work covered by his contract to nonresident contractors.

Pursuant to W.S. 16-6-106, “... preference is hereby given to materials, supplies, agricultural products, equipment, machinery and provisions produced, manufactured, supplied or grown in Wyoming, quality being equal to articles offered by the competitors outside of the state.”

Pursuant to W.S. 16-6-702, Wyoming PBS shall retain Ten (10) percent of the total Proposal price as retainage on each payment/advance for payment until final payment is made to the contractor and until all equipment, material, and documentation meeting specifications are delivered to WYPBS and all claims and provisions of the contract are completed.

The extent and the manner to which these statutes, and any other applicable statutes, rules or regulations apply will be considered and evaluated with respect to each responsible Proposal submitted.

5. ACCEPTANCE PERIOD: All quotes shall be firm for a period of sixty (60) days from the date Quotes are due.

6. AWARD OF CONTRACT: Award of Contract for this project is contingent upon available funding and official approval. CWC may enter into negotiations with the firm or individual whose quote best meets the needs of the college. This contract cannot be assigned or transferred without the written consent of CWC. The entire Request for Quote document shall become part of the contract and will be in effect for the duration of the contract period. Where terms conflict, provisions contained within this RFQ take precedence over the language contained within the vendor's standard lease/buyout agreement.

Minority business enterprises will be afforded full opportunity to submit a quote and to contract with the college and will not be subject to discrimination on the grounds of race, creed, national origin, sex or handicap in consideration for an award.

By submitting a quote, the firm certifies under penalty of perjury that it has not acted in collusion with any other firm.

7. CENTRAL WYOMING COLLEGE REPRESENTATIVES: Questions concerning the RFQ document and process, acceptance and approval of Quotes, contract requirements, and project parameters should be directed to:

Jan Jensen
Grants Administrative Assistant
Wyoming PBS
307.856.6944
jjensen@cw.edu

Questions concerning the Wyoming PBS operations and technical questions should be directed to:

Bob Connelly or Bob Spain
Wyoming PBS
307.856.6944
fax 307.856.3893
bconnelly@cw.edu or rspain@cw.edu

8. PROPERTY OF THE DISTRICT: Submissions in response to this RFQ shall become the property of Central Wyoming College and Wyoming PBS and subject to public disclosure as prescribed by Wyoming statutes. Proprietary information must be identified and will be protected to the extent allowable by Wyoming law.

9. CONSIDERATION OF QUOTES: Price, warranty, and equipment that best meets the needs of the WYOPTV will be factors in the selection of the equipment.

10. WARRANTY: Warranty periods will commence with the acceptance of fully documented working units of equipment. Vendor and/or manufacturer shall be responsible for the shipping cost both ways and any other expenses for equipment repair on site or elsewhere for any equipment which is not received in an operating

condition and meeting the manufacturer's published specifications. Equipment warranty statements shall be provided with the quote response.

11. ADDITIONAL CONTRACT CLOSE-OUT DOCUMENTS. Contractor/Vendor shall furnish Owner with a detailed equipment list prior to final payment and contract close-out. The equipment list shall be in an Excel spreadsheet format and include the following information: make, model, serial number, installation location (site specific) and warranty coverage period (including expiration date).

12. EXCEPTIONS/ SUBSTITUTIONS/ ALTERNATIVES: Exceptions to any part of specification shall be indicated in writing and included with the quote response designating the section, item number and/or paragraph to which the exception refers. WYPBS may consider equipment other than that specified if of equal or better specification, function and value. Those proposing alternative equipment shall provide sufficient documentation to permit WYPBS to evaluate any such alternative.

13. LAWS AND REGULATIONS: All equipment shall comply with applicable Federal, State and local laws, regulations and codes and be constructed using best engineering practices.

14. DELIVERY: All equipment specified in this Request for Quote shall be delivered to WYPBS within 45 days of the date vendor is notified that it is the successful bidder.

Scope of Equipment Needed:

1. (1) 30 watt UHF DTV translator with linear power supply (*Larcan MXD-30U or equivalent*)
2. (1) SCALA PR-TV-29-50
4. (1) SCALA PDL2-50/55
5. (1) SCALA 4DR-4S channel 29

Equipment Requirements:

Wyoming PBS (WYPBS) requests quotes for: a 30 watt (peak power) digital television UHF channel 29 translator and antennas for Sunlight Basin.

All equipment shall comply with federal and state laws, as well as EIA, UL, NEC and other applicable codes, standards, laws, rules and regulations regarding safety, loading, structural integrity, radio frequency radiation, spurious emissions and interference. Vendors understand and agree that it shall be their responsibility to resolve any interference problems, whether it is from non-vendor-owned equipment in place at the time of installation, which is causing interference to vendor equipment or whether vendor installs equipment that causes interference to other non-vendor owned equipment in place at the time of installation. Interference problems shall be resolved within the (10) days of notice from WYPBS of such interference.

Any equipment, the manufacture and use of which is governed by the Federal Communications Commission, shall be FCC type accepted.

Equipment Specifications:

Translator: Must meet or exceed the specifications of a Larcan MXD-30U

Rated RF power output: 30 watts (8VSB) digital

Frequency: UHF TV Channels 14 – 51 (470 – 698 MHz)

Input: UHF channel 40 from McCullough Peak translator

RF frequency response: within + 1 db across the desired TV channel

Harmonic radiation: all harmonics must be at least 60 db below pilot carrier

Spurious radiation: all out of channel radiation must be at least 60 db below pilot carrier; GPS spectrum radiation must be at least 71 db below pilot carrier

Frequency stability: $\pm 0.02\%$ across operating temperature range of 0 to 45° C

Translator must have VSWR foldback

ALC (automatic level control): must maintain power output within 10% of nominal value with AC input voltages between 110 – 125 volts.

Power Requirements: must operate on less than 1kw of AC input power (107 – 125 volts AC). Power supply must be linear, switching type power supplies are not acceptable.

RF load (output) impedance: 50 ohms/type N connector

Remote monitoring interface: forward/reverse power output (must be able to interface with customer's EAS18)

High altitude operation: must operate at rated power and all specifications at 8000' AMSL.

Isolator: transmitter shall be equipped with an isolator on the RF output, per USFS regulations

This translator must be able to operate in the immediate vicinity of the following, and not cause interference to, or accept interference from:

Analog TV translators

USFS and Park County land mobile repeaters

This translator must meet the FCC standards for non-interference to GPS systems.

ARTICLE II – Submission of Quotes:

It is the responsibility of the vendor to carefully examine the Request for Quote and be familiar with all of its requirements, stipulations, provisions, and conditions. Quotes will not be considered in which any of the conditions or provisions have been modified. No oral or telephone interpretations of the quote documents shall be binding upon the College. Quotes received after the time and date specified will not be considered and will be returned unopened to the firm.

Three (3) copies of the quote to be clearly marked with the wording "30 Watt Digital Television UHF Translator System – Sunlight Basin" on the outside of the sealed package submitted to:

Jan Jensen, Grants Administrative Assistant

Central Wyoming College
2660 Peck Avenue – Room WPTV 15
Riverton, Wyoming 82501

by no later than 3:00 p.m., MST, on Tuesday, August 10, 2010.

**Central Wyoming College/Wyoming PBS
30 Watt Digital Television UHF Translator System
Quote Submittal Form**

Equipment Quoted (attach separate sheet if necessary):

Total Quote \$ _____

Quote prepared by: _____ Signature: _____

Title: _____ Date: _____

Name of Company: _____ Years in business: _____

Address: _____

City/State: _____ Phone: _____

T.I.N. _____ Fax: _____

Wyoming Resident Business Y____ N____ Email _____

Delivery Will Be Made On Or Before _____

Quote must contain this sheet.

APPENDIX A – CERTIFICATIONS AND ASSURANCES

We make the following certifications and assurances as a required element of the response to which it is attached, understanding the truthfulness of the facts affirmed here and the continuing compliance with these requirements and all requirements of the Request for Quote (RFQ) are conditions precedent to the award or continuation of the related Contract.

The attached response of a firm offer for a period of sixty (60) days following the response Due Date specified in the RFQ and it may be accepted by WYPBS without further change at any time within that sixty (60) day period. We further agree to honor pricing on any equipment specified in our RFQ for up to six (6) months for potential purchase by other buyers with the understanding that different delivery dates would be negotiated.

We understand that WYPBS will not reimburse us for any costs incurred in the preparation of this response and that all responses become the property of WYPBS, and we claim no proprietary right to the ideas, writings, items or samples unless so stated in the response. Submission of the attached response constitutes an acceptance of terms described in the RFQ document.

We understand that this certification, along with the RFQ, vendor’s response to the RFQ, and a purchase order from Central Wyoming College, acting as financial agent on behalf of WYPBS, shall serve as a contract. Any agreements between the successful vendor and WYPBS to accept alternates or options shall be done as an attachment to this certification and incorporated herein.

Submission of a response and execution of this Certification and Assurances document certify Vendor’s willingness to comply with the contract terms and conditions appearing the RFQ, or substantially similar terms, if selected as a contractor.

Vendor shall attach a listing of all paragraph numbers in this RFQ, which shall be incorporated herein as an integral part of the Certifications and Assurances. Adjacent to each paragraph number, Vendor shall include the wording “Comply.” Any paragraph to which vendor takes and exception shall be noted with the word “exception” adjacent to the paragraph number.

Signature

Vendor

Title

Date